


Production process	moulding, casting, turning, grinding, polishing, packing, delivery
Application area:	<p>Bridge Railings / Handrails</p> <p>Deck railing/handrails</p> <p>Porch railing/handrails</p> <p>Stair railing/handrails</p> <p>Salcony railing/handrails</p> <p>Terrace railing/handrails</p> <p>Pool fencing railing/handrails</p> <p>Steps railing/handrails</p>
Advantages	<p>There is a plastic slot in the slot top rail, which will make the glass fencing or railing more stable and safe and do harmless to the glass the people.</p> <p>no worry about the glass edgy and corner, especiallu for your children</p>

Certification	ISO9001:2008; CCC Original Material test report
Packing:	Normally 5.8m per piece in a plastic bag and carton box; Package will be carefully concerned; The package can be designed based on customer's requirement
Delivery Lead Time:	30 Days after receiving upon your detailed needs, or depends on the quantity and the items of orders.
Payment:	T/T; L/C at sight; Westunion Escrow
Terms of delivery:	air freight; express: sea freight according to the order quantity



Round slot handrail & fittings

slot handrail length : 5.8 meters



round handrail fittings :

round cap



round wall to rail connector



round 180 deg. connector



round 90 deg. connector





ISO
9001:2008
REGISTERED



round mini top rail fittings

www.launch-china.cn

Round top rail

For 12mm glass

Material	Stainless steel 316/316L
Finish	Mirror or satin
Dimension	Dia 25.4mm , groove 14*14 mm , 5.8 meter per length



Round top rail fittings

Round 180 degree connector , 90 degree connector , wall to rail connector , end cap

Material	Stainless steel 316
Finish	Mirror or satin

Square top rail

For 12mm glass

Material	Stainless steel 316/316L
Finish	Mirror or satin
Dimension	25*21mm , groove 14*14 mm , 5.8 meter per length



Square top rail fittings

Round 180 degree connector , 90 degree connector , wall to rail connector , end cap

Material	Stainless steel 316
Finish	Mirror or satin