

The most popular self closing stainless steel hydraulic glass door hinge series applied for glass shower doors . It is not only high quality (rust - resist), but also keeps it quiet while you close the door .

Features of hydraulic glass door hinge -

- Type - 90 degree glass to wall
- Max. door width -1 000mm
- Max. door weight- 60kg
- 304 or 316 stainless steel
- satin /mirror /black finish
- stops at 90 degree , automatically close and adjustable speed





90 degree & 180 degree glass door hinge with stainless steel material -




90 degree glass door hinge (stainless steel material & aluminum material) -



How to install glass door hinge ?

HINGE PARTS



MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



Pakaging photos of glass door hinge-



