

shenzhen launch frameless glass balustrade glass spigots

Material: Stainless steel 316/316L/Duplex 2205

Finish: Satin brushed or mirror polished

For glass thickness:10-13.52mm

Type: core drilled, in ground mounting SCM and RCM

Height: 285mm;

Shape: round/suqare

Feature: No drilled on glass;

Origin: Shenzhen

Core drilled glass spigot, SCM and RCM

See below, click the picture for more information:



Mirror polished: bright surface



Satin brushed: elegant surface



Project:
For outdoor pool fencing, durable anti rust ability



Back yard glass fence



Related accessories

Glass door latch, lockable, chamfered edge and corner;



Model No. : GL-90

Glass to glass latch 90 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : In swing & out swing both available



Model No. : GL-180

Glass to glass latch 180 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : Other degrees available according to your requirement



Model No. : GL-W

Glass to wall / square post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm



Model No. : GL-P

Glass to round post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Glass door hinge



Model No. : G-R2

Casting glass to round post hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



Model No. : G-W2

Casting glass to square post / wall hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



Model No. : G-G2

Casting glass to glass hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm