


Production process	moulding, casting, turning, grinding, polishing, packing, delivery
Application area:	Bridge Railings / Handrails Deck railing/hanrails Porch railing/handrails Stair railing/handrails Salcony railing/handrails Terrace railing/handrails Pool fencing railing/handrails Steps railing/handrails
Advantages	There is a plastic slot in the slot top rail, which will make the glass fencing or railing more stable and safe and do harmless to the glass the people. no worry about the glass edgy and corner, especiallu for your children
Certification	ISO9001:2008; CCC Original Material test report
Packing:	Normally 5.8m per piece in a plactic bag and carton box; Package will be carefully concerned; The package can be designed based on customer's requirement
Delivery Lead Time:	30 Days after receiving upon your detailed needs, or depends on the quantity and the items of orders.

Payment:	T/T; L/C at sight; Westunion Escrow
Terms of delivery:	air freight; express: sea freight according to the order quantity



# Square slot handrail & fittings

slot handrail length : 5.8 meters



Square handrail fittings :

Square cap



Square wall to rail connector



Square 180 deg. Connector



Square 90 deg. Connector





ISO  
9001:2008  
REGISTERED



**mini top rail**



**square top raip fittings**



**[www.launch-china.cn](http://www.launch-china.cn)**