

Item	Glass fixing hardwares
Application	Frameless glass swimming pool fence gate
Available material	316 stainless steel 316L stainless steel 2205 duplex stainless steel,etc
Quality assurance	Fittings can be used near pool or sea,in rainy, snowy and windy weather
Available finish	Brushed and polished
Suitable glass thickness	6mm/8mm/10mm/12mm

#### Benefits of the new hinge series:

1. Solid stainless steel material
2. Available in satin and chrome polish
3. Wall/Post to glass model G-W2
4. 180 degree glass to glass model G-G2
5. Maximum door leaf weight: 50kg
6. The average 12mm glass gate 1200 \* 900 weighs 30 KG
7. Suitable for 10-12mm toughened glass use
8. Double action, maximum door open angle: 90 degrees
9. Valve adjustment available for closing speed control
10. No concrete cutting required
11. Bolt on to glass. Ease of installation.
12. Suitable for Australian conditions

Production lead time	7 days if stocks quantity is enough; 25 days if no stocks
----------------------	--

#### MOQ:

MOQ	1 set
-----	-------

#### Trade term:

Trade terms	EXW,FOB,CNF,C&F,CIF etc
-------------	-------------------------

#### Payment term:

Payment terms	T/T(50/50;30/70), western union, alibaba escrow
---------------	---

#### Sample options:

Casting products	Sample is available if we have this model mould Sample is for free if you wanna us make the mould for you
CNC made products	Sample is available within 7 days
OEM products	Sample for checking and testing first before mass production

#### GLASS TO GLASS MODEL:



**G-G2**

GLASS TO WALL MODEL OR WALL TO GLASS MODEL:



**G-W 2**

GLASS TO ROUND POST MODEL OR ROUND POST TO GLASS MODEL:



**G-R2**