

Especificações

Nome do produto	Janelas deslizantes de liga de alumínio
Material	Liga de alumínio 6063-T5 Perfil Vidro Acessórios
Opções de perfil	Marca de perfil: marca chinesa
	Espessura do perfil: 2,0 mm
	Tratamento de superfície: revestimento em pó, anodização, revestimento em PVDF, etc.
	Cor: branca, preta, cinza, cor personalizada
Opções de vidro	Especificação padrão: 5mm27a5mm
	Material: vidro temperado
	Cor: Ultra Clear, Clear, Fosted, Cinza, Verde, Cor personalizada
	Tipos: vidro único, vidro lamimado, etc.
Outros acessórios	Faixa de vedação: Materail EPDM
	Bloqueio: marca superior chinesa
	Trilha: trilho de aço inoxidável
	Rolo: Poliamida de alta resistência






Window types



C1



C2




C3



C4



C5




C6

Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass




Low-E glass




Reflective glass



Single panel glass



Double panel glass




Triple panel glass



Safety hardware

- Automatic lock and child lock configuration to enhance safety performance



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage


- Water tightness
- Air tightness



Applications



Kitchen



Home



Doorway



Living room



Bedroom



Hostel

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine