


Shenzhen Launch fabrica um kit de trilhos de proteção para exteriores de design arquitetônico de aço preto com revestimento em pó preto fácil de instalar. Oferecemos conjuntos completos de acessórios para que os clientes façam a instalação facilmente.

Características do kit de guarda-corpo externo

Material	Aço galvanizado
Terminar	revestimento em pó de cor preta
Tamanho	Corrimão superior 80 * 40mm; Poste de 40 * 40 mm, trilhos verticais de 12 * 12 mm, trilho intermediário de 32 * 32 mm
Montagem	DIY fácil
MOQ	1 metro

Kit de proteção externa para projeto arquitetônico de aço preto-







Instruções de montagem do guarda-corpo

Guard Rail Assembly Instructions

Tools Required: Electrical Power Drill
(Impact Drill Preferred)


Overview: Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.

-
- 1 Roughly position the 2 posts.
 - 2 Put the post base caps on without securing them.
 - 3 Secure top rail & post with brackets - 4 screws each.
 - 4 Add the ends to the top rail.
 - 5 Secure inside rail with brackets - 2 screws each.¹
 - 6 Position whole rail. Mark the 4 holes on each post.
 - 7 Remove hand rail, drill holes straight down, and hammer in bolts.²
 - 8 Put hand rail over bolts, tighten nuts onto bolts.
 - 9 Insert the vertical railings.
 - 10 Secure all of the inner rail.³
- ¹ Inside rail will be loose until each post is secured to the ground.
- ² Double check posts are parallel and tight against inside rail before marking holes for drilling.
- ³ Push and pull top rail & inside rail to ensure all is secure.

Fotos de produção do kit de trilhos de proteção de aço galvanizado















Galerias do Guard Rail -





www.chinabalustrade.com

