



produtosEspecificações:

Nome do Produto	Corrimãos balaquecos balõrils Base de alumínio Trilhos sem moldura de vidro balaustrada balaustrada	
Modelo	ALU-1262.	
Altura total	950/1050 / 1150mm ou personalizado	
Materiais	Sapato base.	Alumínio 6063.
	Corrimão de tubos de slot	Ss304. SS316.
Terminar	Corrimão de tubos de slot	1.Mirror # 600 # 800
		2.Satin # 180 # 240 # 320 # 400
		3.powder revestido
		4.Electroplated.
Canal base.		1. Padrão de prata anodizado
		2. Pó revestido (preto, branco, etc.) - padrão ao ar livre
		3. acabamento de moinho de alumínio
		Capa & SS304 / 316 (espelho, cetim, cor electroplate)



Sapato de base de alumínio:




Principal Ensopado Tubo Corrimão E Acessórios:



25 × 21MM, GROOVE 14 × 14MM

Surface treatment: satin brushed / mirror polished




25*21 tube

Model: SQ2521



DIAMETER 25.4MM, GROOVE 14 × 14MM

Surface treatment: satin brushed / mirror polished



Model: RD2525





**Dia25.4mm slotted handrail tube
14x14mm groove**



180 degree joiner



90 degree joiner



wall-rail joiner



end cap

Bem-vindo a entrar em contato conosco se houver mais informações necessárias:

véspera

E-mail: sales03@launch-china.cn.

HP / WhatsApp: +8613686807796