

## Preço de fábrica venda direta ao ar livre 2-3 etapas se encaixa preto ferro forjado kit corrimão balaustradas e corrimãos


Nome do Produto	Trilhos de aço galvanizado	Tamanho normal	H 1,1 M*L 1,2M
Limite alto	2 M	Espessura do tubo	1,2-2,5mm
Lote inicial	20m ou 20□	Local do Produto	Província de Guangdong,China
Material	Aço	Método de cálculo do preço unitário	Altura abaixo de 1,2 m em metros, Altura acima de 1,2 m em quadrado
Arte	montado e soldado	Tratamento da superfície	Revestido a pó











**Conjunto:**














**Guias de instalação:**

# Guard Rail Assembly Instructions

**Tools Required:** Electrical Power Drill  
(Impact Drill Preferred)

**Overview:** Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.



<sup>2</sup> Double check posts are parallel and tight against inside rail before marking holes for drilling.


<sup>1</sup> Inside rail will be loose until each post is secured to the ground.

<sup>3</sup> Push and pull top rail & inside rail to ensure all is secure.

**Produção & embalagem de Escadaria aço corrimãos no nosso oficina:**











**Por favor sentir livre para contato nós para mais detalhes:**

**Contato: Wendy**

**E-mail: [vendas04@launch-china.cn](mailto:vendas04@launch-china.cn)**

**HP/WhatsApp: 86159 8933 9827**