





Nosso venda imperdível vidro escada corrimão projetos:




Jogos modernos do corrimão dos trilhos da escada de vidro interna

1	Material & Terminar	Aço inoxidável 304/316; Acabamento acetinado ou espelhado
2	Altura	1000MM / tamanho personalizado
3	Stanchion Post	Tubo D50.8 * 1.5 (mm); Suporte de trilho superior ajustável de 4 vias; Braçadeira de vidro quadrada ou redonda.
4	Trilho superior	D50.8 * 1.5 (mm) tubo oco
5	Trilhos de segurança	Painel de vidro claro moderado 10mm / 12mm


6	Uso & Localização	Balaústre, balaustrada, corrimão, cerca, corrimão, trilhos; Varanda, Ponte, Convés, Jardim, Pátio, Piscina, Alpendre, Escada, Terraço
7	Instalação	Montagem superior / lateral
8	Pacote	EPE + caixa interna + caixa
9	Serviço	1, acessórios e acessórios compatíveis são fornecidos; 2, planejamento de construção; 3, conselhos de engenheiro profissional; 4, guia de instalação; 5, OEM, ODM, design do cliente;
10	Contato	EMAIL, SKYPE, WhatsApp, WeChat e QQ são mostrados como marca d'água nas figuras abaixo




LCH-106



LCH-107




LCH-108



Instalação:


Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.




Fit glass panel into position, install second half of glass clamp secure with provided hex screws.





Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Mostra do projeto





Para varanda corrimão projetos:



Sentir livre para contato nos:
Eve Chow
sales03@launch-china.cn
HP / WhatsApp: +8615907334556