

O lançamento de Shenzhen fabrica a base e a tampa da elevação da elevação do trilho de vidro polido de alta qualidade para os sistemas trilhos dos balcões de vidro sem moldura.


RECURSOS-

Design compacto com base, tampa e parafusos de montagem (ou parafusos de madeira / parafusos de lag)

Para uso com vidro de 1/2 "e 3/4" (12 e 19 mm) espessura de vidro ou 9/16 "e 27/32" (13,52 e 21,52 mm) vidro temperado laminado para sistemas de trilhos de vidro sem moldura.

Alta de alta qualidade 316 aço inoxidável Para montagem em substrato de aço, concreto ou madeira

Estes resistentes: Base de impasse de trilho de vidro e tampas. Trabalhe com trilhos de mão ou guarda.



Part No.	Material	Finish	Body	Bolt size
• SF-30			• 30x10; 30x25mm	• M10x120 bolt
• SF-40	• AISI 304	• Satin	• 40x10; 40x30mm	• M10x72 wood screw
• SF-50	• AISI 316	• Mirror	• 50x12; 50x30mm	• M8x100 bolt
• SF-50A			• 50x12; 50x50mm	• M8 x72 wood screw
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Bolt size
• SF-38Z	• AISI 304	• Satin	• hollow type	• M8x70 hexagonal screw
	• AISI 316	• Mirror	• 38x7.5; 38x38mm	
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Mounting plate size
• SF-50T	• AISI 304	• Satin	• 50x10; 50x30mm	• 200x100x10mm
	• AISI 316	• Mirror	• silicon rubber gasket included	

