

**espiga de vidro redonda de aço inoxidável de tinta preta, para esgrima de piscina sem molas, outras cores também estão disponíveis.**

**Descrição do Produto**

---

|                           |                                                                                                                                                                   |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Produto Mamim             | espiga de vidro redonda de aço inoxidável de tinta preta                                                                                                          |
| Material                  | Aço inoxidável 316 / duplex 2205                                                                                                                                  |
| Terminar                  | Espelho polido / cetim escovado                                                                                                                                   |
| Para Glass Thickness      | 8-13,52mm                                                                                                                                                         |
| Altura                    | 168mm                                                                                                                                                             |
| tamanho da base do espiro | 100x100mm                                                                                                                                                         |
| Peso líquido              | 1.08kg / peça                                                                                                                                                     |
| Método de fabricação      | Casting (alta qualidade)                                                                                                                                          |
| Detalhes da embalagem     | 1) Uma peça em uma bolsa de bolha, em seguida, em uma caixa branca<br>2) 12 peças em cartão de cartão de 365x330x230mm<br>3) Embalagem como requisitos do cliente |
| Aplicação                 | Cerca de piscina, balaustrada de vidro, deck sem moldura trilhos de vidro, escadas                                                                                |
| Certificação              | sim. MEet Austrália e Nova Zelândia padrões                                                                                                                       |
| Samplo                    | acessível                                                                                                                                                         |
| MOQ                       | 1 pc                                                                                                                                                              |
| OEM & ODM Serviço         | acessível                                                                                                                                                         |

**espiga de vidro redonda de aço inoxidável de tinta preta Destails**

---

- 1) desenho técnico de espigão de vidro
- 2) espiga de vidro redonda de aço inoxidável de tinta preta



Outras cores disponíveis estão disponíveis








### 3) Guia de instalação para espigão de vidro de plataforma quadrada em aço inoxidável duplex 2205



#### fixing method: base plate spigots

Mark out the centre line of proposed glass fence with a chalk line. Determine clamp location based on a sheet size (recommendation on pages 1 & 2). Use base plate as a template to mark out the hole positions and drill holes to suit.


**Note:** Do not exceed 100mm gaps between glass panels. Optimum gap is 40mm to 60mm



Now the base plated spigots can be fitted to the floor and plumbed via shims (not supplied) under the base plates. Be sure to tighten firmly as the smallest of movement at the base plate will result in noticeable movement at the bottom of the glass fence.


**Tip:** By setting the two outer spigots of your total span, a string line can be run in the 'throat' of the spigots, giving correct height for all spigots in between

**Note:** Do not exceed 100mm gap from the fixing surface to the bottom of the glass



When all spigots are installed, slip domical cover the top of the spigot to hide fixings. It will be necessary to turn the adjustment screws on the spigot face all the way in to allow cover to pass over


**Note:** Same installation method applies to round base plate spigot



The glass is then installed to the spigots.  
Place plastic packers between glass & spigot, at no stage should glass touch the metal

**How adjustability works:**

1. Place glass in spigot
2. Fix/ tension glass both sides with allen key



## Embalagem de segurança para espigão de vidro de plataforma quadrada em aço inoxidável duplex 2205

1. Uma peça em uma bolsa de bolha, em seguida, em uma caixa branca.  
12 peças em cartão de papelão 365x330x230mm.
2. Embalagem como requirements dos clientes.



**duplex 2205 aço inoxidável quadrado deck espigão de vidro projetos**

---





## Perguntas frequentes

---

### 1. Qual material você tem?

SS304, SS316, SS316L, duplex 2205, ect.

### 2. Pode me enviar toda a sua lista de preços?

Desculpe, pois o preço relacionado a muitos fatores, como quantidade, tipo de material, tratamento de superfície e assim por diante, ofereceremos uma cotação exata após confirmarmos seus requisitos detalhados.

### 3. Do você oferece OEM & Serviço ODM?

Sim, podemos fazer os produtos de acordo com seus desenhos técnicos ou amostras. Somos profissionais em fundição de investimento, fundição, estampagem, usinagem CNC, etc.

### 4. Que tipo de pagamento você aceita?

T / T, L / C, PayPal, West Union, etc.

### 5. Qual é o seu termo de pagamento?

T / T (30/70) ou L / C à vista.

### 6. Qual é o seu tempo de entrega?

Dentro de 5 dias úteis para itens de venda a quente. 15-25 dias úteis para pedidos de banho.

### 7. Você oferece serviço pós-venda?

Claro, qualquer pergunta depois de comprar nossos produtos, nós retornaremos para você dentro de 24 horas.

Informação da companhia.

Shenzhen Launch Co., Ltd was established in 2004, located at Nanshan District, Shenzhen, and one hour by car from Hongkong International Airport. Our main product is high-grade building materials includes stainless steel balustrade post, staircase handrail, balcony guardrail, swimming pool fence and other high-grade building materials. All the products are designed strictly according to the high-end market requirements. We have our own factory in Tangxia Town, Dongguan, has a variety of precision equipment more than 50 sets: CNC lathe, milling machine, punching machine, pipe cutter, argon welder, drilling machine, polisher, etc. which can provide customers with complete product processing services. With the German SPECTRO Spectrometer, we insist on testing every batch of materials to ensure that the material is highly qualified. We also have hardness gauge, secondary element and other test equipment to ensure the products meets customers' requirements.

## ABOUT US

### Our Team



## OUR ADVANTAGE

Please do not hesitate to contact us if you have any requirement regarding our production lines, you can expect a timely reply with professional solutions!



Own factory, shortest lead time.



Can help customers design product drawings based on customer ideas and design engineering installation drawing according to the customer site sketch.



Sample order, trial order acceptable.



Provide material test report to ensure that the material is qualified.



13 years of industry experience, we can help customers recommend the best solution to help customers save cost.

## OUR FACTORY

More than 13 years experience in hardware industry design and processing, we can provide customized services from design to the sample and small batch trial production.



# OUR CERTIFICATE

With premium quality, competitive price and superior service, we won a lot of customers' favor.  
Our products are popular in North America, European and Australia.



# PRODUCTION PROCESS



Casting



CNC lathe



CNC Milling



Stamping



Drilling & Tapping



Polishing




# ***PACKAGING & DELIVERY***



# PAYMENT & TRANSPORTATION

Welcome Alibaba Trade Assurance Order!



1 Start an order

2 Negotiate terms with our sales service & confirm order

3 Make payment

4 Alibaba provide full assurance



# CONTACT US

WELCOME TO CONTACT US. WE WILL DO OUR BEST TO HELP YOU!



CELIA CHEN



Email : [sales01@launch-china.cn](mailto:sales01@launch-china.cn)



Skype : launch-01



Mob. 86-13590273543

