

## Shenzhen lançamento de vidro sem moldura de vidro torneiras balaustrada

Material: aço inoxidável 316 / 316L / Duplex 2205

Finish: Satin escovado ou polido espelhado

Para espessura de vidro: 10-13.52mm

Tipo: núcleo perfurado, em SCM montagem chão e RCM

Altura: 285 milímetros;

Forma: redondo / square

Característica: Sem perfurados no vidro;

Origem: Shenzhen

### **Núcleo de vidro perfurado espigão, SCM e CRM**

Veja abaixo, clique na imagem para obter mais informações:



**Espelho polido: superfície brilhante**




**Cetim escovado: superfície elegante**



**Projeto:**

**Para esgrima piscina exterior, capacidade anti ferrugem durável**



**Quintal cerca de vidro**



**Acessórios relacionados**

Porta de vidro trava, com fechadura, borda chanfrada e canto;



### Model No. : GL-90

Glass to glass latch 90 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : In swing & out swing both available



### Model No. : GL-180

Glass to glass latch 180 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : Other degrees available according to your requirement



### Model No. : GL-W

Glass to wall / square post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm



### Model No. : GL-P

Glass to round post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Dobradiça da porta de vidro



### Model No. : G-R2

Casting glass to round post hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



### Model No. : G-W2

Casting glass to square post / wall hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



### Model No. : G-G2

Casting glass to glass hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm