

Sistema de trilhos quadrados de aço inoxidável do cabo quadrado da montagem lateral do projeto moderno da cerca da piscina, foto do projeto do cliente dos EUA.

Porque escolher-nos ?

O lançamento de Shenzhen é verificado pela SGS.

# Alibaba.com Gold Plus Supplier

## Main Product Lines Verification Report

*Presented to*

**Shenzhen Launch Co., Ltd.**

深圳市朗驰商贸有限公司

Company Address	B5003, Building 3, Yilida Building, No. 1092 Nanshan Avenue, Dengliang Community, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province, China
Consigner of Assessment:	Alibaba
Gold Supplier Member ID:	launch168
Gold Supplier Company Name:	Shenzhen Launch Co., Ltd.
Contact Person:	Mr. Binfeng Gao
Phone Number:	0086-13802569770
Fax Number:	0086-755-86372611
Email:	gbf999@china.com
Website Address (URL):	<a href="http://launch-china.en.alibaba.com">http://launch-china.en.alibaba.com</a>

*Service Provided by SGS  
Report No.: 19536352\_P+T*



Cutting Machine	XN	4	3	Acceptable
Laser Cutting Machine	MPS-3015D	1	2	Acceptable
4.5M CNC Processing Center	PRATIC	1	3	Acceptable
CNC Processing Meter	JNC	8	3	Acceptable
Shearing Machine	6X2500	2	3	Acceptable
Bending Machine	AG-1030II	4	3	Acceptable
Punching Machine	N/A	36	6	Acceptable
Coating Line	N/A	1	1.5	Acceptable
Lathing Machine	N/A	1	6	Acceptable
Grinding Machine	LITAO	4	6	Acceptable
Milling Machine	TONG ZHENG	2	6	Acceptable
Welding Machine	N/A	5	5	Acceptable
Tube Processing Machine	N/A	2	5	Acceptable

Cutting Machine	Laser Cutting Machine	4.5M CNC Processing Center
		
CNC Processing Meter	Shearing Machine	Bending Machine
		
Punching Machine	Coating Line	Lathing Machine
		

Report No:	19536352_P+T	Report Date:	09/Oct./2019	Assessed By	Wlwf Wang
CONFIDENTIAL		All Rights Reserved		Page No:	6 of 10

Item	sistema de trilhos de cabo quadrado de aço inoxidável de montagem lateral
Inscrição	piscina, escada, varanda, deck etc.
Material	316SS
Terminar	escovado, polido
Postar	Quadrado de 50 * 50mm
tipo de montagem	montagem lateral
tamanho do cabo	Diâmetro de 4mm
corrimão superior	50 * 25mm
MOQ	10-20 metros
Forma de pagamento	TT; PAYPAL, CARTÃO DE CRÉDITO



**bornes dos trilhos do cabo da montagem lateral**



**Tensor de cabo T803**



## Tubo superior do corrimão

