

Braçadeira de vidro de aço inoxidável com parte traseira do plano é projetado para atender **3/8 "** vidro e pós quadrado. É amplamente utilizado no sistema de corrimão de vidro para a concepção de escada, varanda e cerca de piscina de natação.


É fácil para a instalação e baixo custo de manutenção.

Show de produto  
Acabamento 1.brushed



**G104 glass clamp, flat**

2.comparision entre cetim e acabamento espelhado



3.rubber junta para regular e proteger o painel de vidro durante a instalação



4.Project pic



Guia 5.Installation para braçadeira de vidro

## Glass Clamp Installation Guide



1  
Mark and centre punch desired location of blind rivet nut location.



2  
Drill centre punched hole in tube to suit blind rivet nut.



3  
Insert blind rivet nut into tube and fasten with blind rivet tool.



4  
Check installed blind rivet nut is secure and ready for install.



5  
Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



6  
Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



6a  
If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



7  
Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



8  
Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Outro projeto de vidro grampos para sua demanda. Eles podem segurar 5/16", 1/4" 1/2" vidro.

Braçadeira 1.glass com base de arco para pós rodada

china braçadeira de vidro 1/2 & quot;, de boa qualidade aço inoxidável 316 rodada braçadeira pós vidro, escada corrimão braçadeira pós vidro



2.square braçadeira forma de vidro com fundo plano e de fundo redondo  
aço inoxidável tipo quadrado braçadeira de vidro para escada, braçadeira de  
vidro do aço inoxidável com base plana para varanda corrimão



detalhes da embalagem



**Packaging details:**  
10 pcs/ box (210\*60\*60mm)  
10 boxes/carton(325\*220\*140mm).





Condições de pagamento:

1.T / T

União 2.western

Método de entrega

1.by expressar: UPS, FedEx, DHL

Ar 2.by

Mar 3.by

Bem-vindo a contactar-me se você está interessado. Este é Susie 😊