

Calha superior em aço inoxidável 304L / 316L forma oval 80x40mm com ranhura 20x20mm com juntas de borracha para vidro de 12-19mm de espessura.

Características -

Material	Aço inoxidável 304L / 316L
Terminar	cetim espelho
Tamanho	Formato oval de 80 * 40 mm
Espessura	1,4 mm, 1,8 mm, 2 mm, 3 mm
Tamanho do sulco	20 * 20mm
comprimento	6 metros por comprimento
Para espessura de vidro	12-19mm
MOQ	1 pc

Fotos do trilho superior em formato oval de aço inoxidável 80x40mm com ranhura 20x20mm -






Temos outros tamanhos de trilhos superiores / tubos de aço inoxidável disponíveis -

# SWIMMING POOL FENCING HARDWARE

KEBIL 科比奧 SHENZHEN LAUNCH CO., LTD



## STAINLESS STEEL TUBE



Material	Finish	Length	Size
• AISI 304L • AISI 316L	• Satin • Mirror	• 5.8 meters	• $\varnothing$ 50.8 x 1.5mm • $\varnothing$ 42.4 x 1.5mm • $\varnothing$ 38.1 x 1.5mm



Material	Finish	Length	Size
• AISI 304L • AISI 316L	• Satin • Mirror	• 5.8 meters	• 38 x 38 x 1.5mm • 40 x 40 x 1.5mm • 50 x 50 x 1.5mm • 50 x 10 x 1.5mm • 50 x 25 x 1.5mm

<http://www.chinabalustrade.com>

## STAINLESS STEEL SLOT TUBE

	DIAMETER (MM)	SLOT WIDTH (MM)	SLOT DEPTH (MM)		DIAMETER (MM)	SLOT WIDTH (MM)	SLOT DEPTH (MM)	
	38	15	15	 ROUND 90 DEGREE SLOT				
	42.4	15	15					
	42.4	24	24					
	45	20	20					
	50.8	15	15			50.8	15	15
	50.8	20	20			30x30	15	15
	50.8	25	25			38x38	15	15
	50.8	30	30			40x40	15	15
	50.8	15	20		 SQUARE SINGLE SLOT	40x40	20	20
	60.3	20	20			40x40	24	24
	60.3	25	25	50x50		15	15	
	63.5	15	15	50x50		20	20	
	63.5	20	20	50x50		24	24	
	63.5	25	25	 SQUARE DOUBLE SLOT	40x40	15	15	
	63.5	30	30					
	76	15	15		50x50	15	15	
	76	20	20					
	76	25	25					
	76	30	30	 SQUARE 90 DEGREE SLOT	50x50	15	15	
	50.8	15	15					
	50.8	25*16	16*12					
	63	20	20					
	63	25	25					



07/08

