


Компания Shenzhen Launch производит простой в установке комплект ограждений из черной стали с порошковым покрытием черного цвета. Мы предлагаем полный комплект фурнитуры, чтобы клиенты могли легко выполнить установку.

#### Характеристики комплекта наружных ограждений

Материал	Оцинкованная сталь
Конец	порошковое покрытие черного цвета
Размер	Поручень верхний 80 * 40мм; Опора 40 * 40 мм, вертикальные направляющие 12 * 12 мм, средняя направляющая 32 * 32 мм
Сборка	легкий DIY
MOQ	1 метр

Комплект наружных ограждений из черной стали с архитектурным дизайном-













Инструкции по сборке ограждения -

# Guard Rail Assembly Instructions

**Tools Required:** Electrical Power Drill  
(Impact Drill Preferred)

**Overview:** Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.



<sup>2</sup> Double check posts are parallel and tight against inside rail before marking holes for drilling.


<sup>1</sup> Inside rail will be loose until each post is secured to the ground.

<sup>3</sup> Push and pull top rail & inside rail to ensure all is secure.

Фотографии производства комплекта ограждения из оцинкованной стали

















Железнодорожные галереи -





[www.chinabalustrade.com](http://www.chinabalustrade.com)

