

**Базовый алюминиевый U U-канал с круглой верхней рельсом из нержавеющей стали**







**Бесплатные балюстрады железнодорожные алюминиевые аппаратные изделия**



**1m aluminum channel contains the following accessories**



Waterproof tape  
2 meters




Aluminum and plastic fittings  
3 sets



Expansion bolts  
3 pieces

**Алюминиевые Стекланные Технические характеристики:**

Часть перил - подвал	Материал	Размер (мм)	Поверхность закончена	Подходит толщина стекла (мм)
U Канал / и Профиль	Алюминий а.Ллой	102 * 62.	Анодирование / распылительная краска	12-13.52.
		102 * 67.		8 + 1.52 + 8
		102 * 70,5		10 + 1,52 + 10
Внутри системы и болт	3 или 4 метра на длину			
Оболочка	SUS 304 / SUS 316	102.	Матовый / зеркало	/
Резинка	Пластик	Различный	Чернить	Все



**Алюминиевая база U Профиль для стеклянного перила Balustrade в черном цвете:**



**Доступный Модели:**

Lch-a01 / a02: без / с оболочкой для использования с 20 мм до 21,52 мм

**LCH-A01**



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

**LCH-A02**



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Decorative cover 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

Lch-b01 / b02: без / с оболочкой для использования с 16 мм до 17,52 мм

**LCH-B01**



16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



**LCH-B02**



16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



**Lch-c01 / c02: без / с оболочкой для использования с 12 мм до 16,14 мм**

**LCH-C01**



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



**LCH-C02**



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



**Lch-d01 / d02: без / с оболочкой для использования с 12 мм до 13,14 мм**

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters




Aluminum plastic fittings 3 sets




Expansion screws 3 pieces

**Массовое производство и упаковка**














**Больше типов канала алюминия U для стеклянных перил:**

Small profile: for glass thickness 10-12.76mm




Big profile: for glass thickness 20-30mm



**Слот-перила поручни:**






**KEBIL** 科比奥®







- |  |  |
|--|--|
| 1. Aluminum Railing Base   | 7. End Cap   |
| 2. Stainless Cap Screw   | 8. Setting Block                                     |
| 3. ½" Tempered Float Glass   | 9. Expansive Cement                                  |
| 4. Top Rail  | 10. Cladding   |
| 5. Splice  | 11. Protective Insert                                |
| 6. Corner fitting<br>(Horizontal Shown Vertical<br>Also Available) | 12. Handrail Brackets and Fittings<br>Also Available |

**Свяжитесь с нами сейчас для получения дополнительной информации:**

**Фрэнк Фэн**

**Электронная почта: [sales02@launch-china.cn](mailto:sales02@launch-china.cn)**

**Mobile / WhatsApp: [+8615906261741](tel:+8615906261741)**